



## **Hockey Eastern Ontario Concussion Return to Play Protocol**

HEO follows and will continue to follow the Hockey Canada Six – Step method for return to play for Concussion in sport. When a potential Concussion has occurred the team Trainer is the first point of contact with the injured player. The trainer will evaluate the player in question, using appropriate protocols and will make a determination based on their assessment of the player. If the trainer determines that the player may be concussed or is showing symptoms of a possible concussion then they **WILL** deem that player unfit to play until assessed by a Physician. No player can return to play until the attending Physician has given the player clearance to do so in writing. The trainer's decision is final and cannot be overturned by the Coaching staff or the Parents until the above mentioned criteria has been met.

### **Return to Play Process**

The return to play process is gradual, and begins after a doctor has given the player clearance to return to activity. If any symptoms/signs return during this process, the player must be re-evaluated by a physician. No return to play if any symptoms or signs persist. Remember, symptoms may return later that day or the next, and not necessarily when exercising!

**Step 1:** No activity, only complete mental and physical rest. Proceed to step 2 only when all symptoms are gone. This includes avoiding both mental and physical stress.

**Step 2:** Light aerobic exercise, such as walking or stationary cycling. Monitor for symptoms and signs. No resistance training or weight lifting.

**Step 3:** Sport specific activities and training (e.g. skating).

**Step 4:** Drills without body contact. May add light resistance training and progress to heavier weights. The time needed to progress from non-contact to contact exercise will vary with the severity of the concussion and the player.

**Only go to step 5 after medical clearance. (Reassessment and note)**

**Step 5:** Begin drills with body contact.

**Step 6:** Game play. (The earliest a concussed athlete should return to play is one week).

**Note:** Players should proceed through return to play steps only when they do not experience symptoms or signs and the physician has given clearance. Each step should be a minimum of one day. If symptoms or signs return, the player should return to step 1, and be re-evaluated by a physician.

**Never return to play if symptoms persist!**





### Hockey Eastern Ontario Significant Injury Return to Play Policy

HEO defines Significant Injury as any injury that a player sustains (except Concussion) that requires the player to be absent from hockey for a period of greater than one week. Examples are, but not limited to, broken bones, severe sprains or strains, major lacerations, respiratory incidents, etc. Concussion is excluded from this policy as it has its own policy and protocols. HEO will utilize the Hockey Canada Six – Step method for return to play for Concussion, as the baseline for this policy. After a significant injury has occurred the team Trainer with the injured player, parents/guardians and medical professionals will determine the best course of action. The trainer will be kept apprised of any and all changes in the player's condition and the player WILL BE unfit to play until assessed by a Physician. No player can return to play until the attending Physician has given the player clearance to do so in writing. The trainer's decision is final and cannot be overturned by the Coaching staff or the Parents until the Return to Play criteria has been met.

### Return to Play Process

The return to play process is gradual, or as mandated by medical protocols and begins after a doctor has given the player clearance to return to activity. If in the rehabilitation phase for return to play the player experiences any pain or symptoms, the player must be re-evaluated by a physician. Remember, symptoms may return later that day or the next, and not necessarily when exercising!

**Step 1:** No activity, only complete rest, as determined by the appropriate medical protocols. Proceed to step 2 as advised by health professionals.

**Step 2:** Light aerobic exercise, such as walking or stationary cycling.  
Monitor for symptoms and signs. No resistance training or weight lifting.

**Step 3:** Sport specific activities and training (e.g. skating).

**Step 4:** Drills without body contact. May add light resistance training and progress to heavier weights.  
The time needed to progress from non-contact to contact exercise will vary with the severity of the injury and the player.

**Only go to step 5 after medical clearance. (Reassessment and note)**

**Step 5:** Begin drills with body contact.

**Step 6:** Game play. (The earliest a concussed athlete should return to play is one week).

**Note:** Players should proceed through return to play steps only when they do not experience any pain or symptoms and the physician has given clearance. Each step should be a minimum of one day. As a policy this is to be utilized as a guideline/protocol. Significant injuries happen and are as unique as individual players. As an example - rehabilitation time for severe sprains/strains, will vary depending upon the players own physical attributes as well as his/her availability for rehabilitation services.

**Never return to play if symptoms persist!**

